TEMPORARY

NO.69790-T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	<u>March 28 2003</u>	•	
Returned to applicant for correction			<u> </u>
Corrected application filed		<u> </u>	
Map filled	<u> March 28 2003</u>		

The applicant Robert O. Burnham and Flaine Burnham, hereby makes application for permission to change the Point of Diversion of water heretofore appropriated under Permit #23271, Certificate 6302

- 1. The source of water is Underground Source
- 2. The amount of water to be changed 3.69 CFS
- 3. The water to be used for Irrigation and Domestic
- 4. The water heretofore permitted for Irrigation and Domestic
- 5. The water is to be diverted at the following point In the NWA of SEA of Section 32, T.22N., R.54E. M.D.B.&M. from which the SE corner of said Section 32, bears S 47°30'30"E a distance of 3153 ft.
- 6. The existing permitted point of diversion is located within The SE% of SE% of Section 32, T.22N. R.54E M.D.B.&.M. from which the SE corner of Section 32 bears S 88°41'00" E a distance of 1082.33 ft.
- 7. Proposed place of use 80.0 acres in the W% of the NE%, Section 32, T22N, R54E M.D.B.&M. 37.7 acres in the NE% of NE%, Section 32, T22N, R54E, M.D.B.&M. 40.0 acres in the SE% of NE%, Section 32, T22N, R54E, M.D.B.&M. 160.0 acres in the SE%, Section 32, T22N, R54E, M.D.B.&M.
- 8 Existing place of use 80.0 acres in the W½ of NE¼ Section 32, T22N, R54E, M.D.B.&M. 37.7 acres in the NE¼ of NE¼ Section 32, T22N, R54E, M.D.B.&M. 40.0 acres in the SE¼ of the NE¼ Section 32, T22N, R54E, M.D.B.&M. 160.0 acres in the SE¼ Section 32, T22N, R54E, M.D.B.&M.
- 9. Use will be from Jan 1st to Dec 31st Of each year.
- 10. Use was permitted from Jan 1st to Dec 31st of each year.
- 11. Description of proposed works. Drilled well, cased, Motor pump and hand move sprinklers
- 12. Estimated cost of works \$9,775.00
- 13. Estimated time required to construct works 1 month
- 14. Estimated time required to complete the application of water to beneficial use 2 years
- 15. Remarks:

	By Barry A Fitzpatrick s/Barry A Fitzpatrtick 800 E College Parkway Carson City, NV 89706
Compared d1/1b lb/cmf	
Protested	<u> </u>

<u>ROVAL</u>OF STATE ENGINÊ

This is to certify that I have examined the foregoing application, and do

hereby grant the same, subject to the following limitations and conditions.
This temporary permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 23271, Certificate 6302 is issued subject to the terms and 23271, Certificate 6302 is issued subject to the terms and conditions imposed in said Permit 23271; Certificate 6302 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water The totalizing meter must be installed placed to beneficial use. before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS, 534.030. The State retains the right to regulate the use

of the water herein granted at any and all times.
The total combined duty of water under Permits 23271,
Certificate 6302 and Temporary Permit 69790-T shall not exceed ,270:8 acre-feet annually.

This temporary permit does not extend the permittee the right

of ingress and egress on public, private or corporate lands:

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on May 13, 2004 at which time all rights herein granted shall revert to the right being charded by this temporary permit changed by this temporary permit. (CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.69 cubic feet per second, but not to exceed 1270.8 acre feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Water must be placed to beneficial use on or before:

Proof of the application of water to beneficial use shall be filed on or before:

Map in support of proof of beneficial use shall be filed on or before: `

to beneficial

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my off

this 14th May of May

1 32 6

State Engine

DATE MAY 1 3 2004 DR

